



Certificate No.
1128 - CPR – 10.09.0447

Date of Initial Validity of the
Certificate from
20/05/2022

Date of Modification
03/04/2026

The Certificate is valid until
18/05/2028

CERTIFICATE

of Conformity of the
Factory Production Control

In compliance with Regulation (EU) No 305/2011 of the European
Parliament and of
the Council of 9 March 2011 (the Construction Products Regulation or CPR),
this
certificate applies to the construction product(s):

-Autoclaved aerated concrete masonry units

TRADE NAME: MASTER BLOCK

(as listed in the Annex of this Certificate)

placed on the market under the name or trade mark of:

HERACLES GENERAL CEMENT COMPANY

32 D. SOLOMOU str., LYKOVRSI, ATHENS, 14123, GREECE

and produced in the manufacturing plant:

a) with code: M.P. 03 (as requested by the manufacturer)

b) with code: M.P. 04 (as requested by the manufacturer)

This Certificate attests that all provisions concerning the assessment and verification of constancy of performance
described in Annex ZA of the Standard(s):

EN 771-4:2011+A1:2015

under system 2+ are applied and that the Factory Production Control is assessed to be in conformity with the
applicable requirements.

This Certificate was first issued on **20/05/2022** and will remain valid until **18/05/2028** as long as neither the
harmonised Standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant
are modified significantly, unless suspended or withdrawn by the Notified Factory Production Control
Certification Body.

For the Notified Body
Chalkiopoulou Athi
General Certification Director

Lack of fulfilment of the conditions set out in the 02.002955.25 contract may render this Certificate invalid.
Check the validity of the Certificate by scanning the QR code at right.
The validity of this Certificate is subject to annual surveillances.



EUROCERT S.A. 89 Chlois & Lykovriseos str., 144 52, Metamorphosi - Greece
T +30 210 62.52.495, +30 210 62.53.927, F +30 210 62.03.018, M eurocert@otenet.gr



Certificate No.
1128 - CPR – 10.09.0447

Date of Initial Validity of the
Certificate from
20/05/2022

Date of the Validity of the
current Certificate from
19/05/2025

Modification Date
03/04/2026

The Certificate is valid until
18/05/2028

CERTIFICATE

of Conformity of the
Factory Production Control

ANNEX

The following construction product(s) is/are submitted to the factory production control, which is inspected by

EUROPEAN INSPECTION AND CERTIFICATION COMPANY S.A. - EUROCERT S.A.:

EN 771-4:2011+A1:2015 - Autoclaved aerated concrete masonry units

Products produced in Manufacturing plant M.P. 03
G2/400 Category I, Length 300 mm to 600 mm (included), Height 200 mm to 500 mm (included), Width 50 mm to 400 mm (included), Dimensional category TLMA – TLMB, Mean Compressive Strength: 2,5 N/mm ² (min.), Gross Dry Density: min. 360 kg/m ³ , max. 400 kg/m ³
G4/600 Category I, Length 300 mm to 600 mm (included), Height 200 mm to 500 mm (included), Width 100 mm to 400 mm (included), Dimensional category TLMA – TLMB, Mean Compressive Strength: 5 N/mm ² (min.), Gross Dry Density: min. 560 kg/m ³ , max. 600 kg/m ³

Products produced in Manufacturing plant M.P. 04
G2/400 Category I, Length from 600 mm up to 625mm, Height 250 mm, Width 50 mm to 375 mm (included), Dimensional category TLMA – TLMB, Mean Compressive Strength: 2,5 N/mm ² (min.), Gross Dry Density: min. 350 kg/m ³ , max. 450 kg/m ³
G4/600 Category I, Length 300 mm to 625 mm (included), Height 200 mm to 500 mm (included), Width 100 mm to 375 mm (included), Dimensional category TLMA – TLMB, Mean Compressive Strength: 5 N/mm ² (min.), Gross Dry Density: min. 500 kg/m ³ , max. 600 kg/m ³

Lack of fulfilment of the conditions set out in the 02.002955.25 contract may render this Certificate invalid. Check the validity of the Certificate by scanning the QR code at right. The validity of this Certificate is subject to annual surveillances.



EUROCERT S.A. 89 Chlois & Lykovriseos str., 144 52, Metamorphosi - Greece
T +30 210 62.52.495, +30 210 62.53.927, F +30 210 62.03.018, M eurocert@otenet.gr